WELDING JOURNAL INDEX

VOLUME 50—1971

PUBLISHED BY THE AMERICAN WELDING SOCIETY, 2501 NW 7th ST., MIAMI, FLA. 33125

WELDING JOURNAL INDEX

VOLUME 50—1971

PUBLISHED BY THE AMERICAN WELDING SOCIETY, 2501 NW 7th ST., MIAMI, FLA. 33125

Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the Practical Welder and Designer, news, biographical items, current welding literature and advertising.

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry, also papers presented at National Meetings.

WELDING JOURNAL

SUBJECT INDEX

Aero Engine Components, Vacuum Brazing as a Repair Technique for—C. J. BAKER, 559–566 (Aug).
Aluminum Alloy 6061-T6 Tubular Members, Strength of Welded Joints in—R. L. MOORE, J. R. JOMBOCK and R. A. KELSEY, 238–247 (Apr).
Aluminum Brazing, Understanding the Mechanisms of—J. R. TERRILL, C. N. COCHRAN, J. J. STOKES and W. E. HAUPIN, 833–839 (Dec).
Aluminum Bronze Forming Dies, Fabricating and Repair Welding —F. E. GARRIOTT and B. A. KALVELAGE, 502–508 (July).
Aluminum, Vacuum Fluxless Brazing of—E. R. BYRNES, JR., 712–719 (Oct).
Aluminum Weldments, Porosity Formation in—D. G. HOWDEN, 112–114 (Feb).
Arc Oscillation, Effect of—CHAO-FANG TSENG and W. F. SAVAGE, 777–786 (Nov).
Automated Welding Using Spacial Seam Tracing—J. G. BOLLINGER and H. L. HARRISON, 787 (Nov).
AWS 1969 Building Code and Bridge Specifications, Ultrasonic Testing Requirements of the—G. W. SHENEFELT, 342–351 (May).

Bonding Graphite to Metals with Transition Pieces—J. P. HAMMOND and G. M. SLAUGHTER, 33–40 (Jan).
Brazing, Metal Powders, Their Role in—R. A. MACDONALD, 327–331 (May).
Brazing of Aluminum, Vacuum Fluxless—E. R. BYRNES, JR., 712–719 (Oct).
Brazing of Refractory, Superalloy and Composite Materials for Space Shuttle Applications—C. S. BEUYUKIAN, 491–501 (July).
Brazing the Shell Assembly for the BONUS Superheater Fuel Element—G. M. TOLSON, L. C. TOLSON, L. C. WILLIAMS, E. A. FRANCO-FERREIRA and E. C. KIRSTOWSKI, 641–646 (Sept).

Close-Tolerance Flame Cutting—E. S. YOUNG, 397–405 (June).
Composite Materials for Space Shuttle Applications, Brazing of Refractory, Superalloy and—C. S. BEUYUKIAN, 491–501 (July).
Control of Distortion During the Furnace Cycle—C. C. TENNENHOUSE, 701–711 (Oct).

Designing and Welding Fork Truck Lift Assemblies—D. WIEDENHEFT, 483–490 (July).
Direct Current, Straight Polarity Gas Tungsten-Arc Welding of Aluminum—D. D. RAGER, 332–341 (May).
Distortion During the Furnace Cycle, Control of—C. C. TENNENHOUSE, 701–711 (Oct).
Drilling Applications, Laser Welding and—A. J. MOORHEAD, 97–106 (Feb).

Effect of Arc Oscillation—CHAO-FANG TSENG and W. F. SAVAGE, 777–786 (Nov).
Electron Beam Welding of Thick Sections of 12% Cr Turbine Grade Steel—L. J. PRIVOZNIK, R. S. SMITH and J. S. HEVERLY, 567–572 (Aug).
Electron-Beam Welding, Parameter Study of—P. J. KONKOL, P. M. SMITH, C. F. WILLEBRAND and L. P. CONNOR, 765–776 (Nov).
Electronic Tube Industry, Metals Joining Techniques in—H. K. GLASER, 107–111 (Feb).
Environment, Welding our—NICHOLAS KAY, 15–22 (Jan).
Explosive Welding Plugs into Heat Exchange Tubes—WAYNE R. JOHNSON, 23–32 (Jan).

Fabricating and Repair Welding Aluminum Bronze Forming Dies —F. E. GARRIOTT and B. A. KALVELAGE, 502–508 (July).
Finely Divided Filler Metal, A New High-Efficiency Welding Procedure Using—R. J. DEHAECK, 689–700 (Oct).
Flame Bending, Primary Concepts for—R. E. HOLT, 416–424 (June).
Flame Cutting, Close-Tolerance—E. S. YOUNG, 397–405 (June).
Fork Truck Lift Assemblies, Designing and Welding—D. WIEDENHEFT, 483–490 (July).
Formation of Ultrasonic Bonds Between Metals—K. C. JOSHI, 840–848 (Dec).
Fume Extracting System for Gas Metal-Arc Welding Unit—L. WIDENTHALER and H. B. CARY, 623–635 (Sept).

Gas Metal-Arc Welding Unit, Fume Extracting System for—L. WILDENTHALER and H. B. CARY, 623–635 (Sept).

Half-Wave and Full-Wave Resistance Welding Power Supplies—R. H. BLAIR and R. C. BLAKESLEE, 174–176 (Mar).
Hard Welds, Their Causes and Prevention—H. W. EBERT, 636–640 (Sept).
Heat Exchange Tubes, Exploding Welding Plugs into—WAYNE R. JOHNSON, 23–32 (Jan).
High Quality Water Arc Cutting—R. W. COUCH, JR. and D. C. DEAN, JR., 233–237 (Apr).
Human Factors Engineering in Welding Machine Design—J. D. EYESTONE, 168–173 (Mar).
Hydrogen Brazing Furnace of LAMPF Accelerator Structures—H. G. WORSTELL, 161–167 (Mar).

Induction Brazing of Turbine Blades—H. L. NOVAK, G. SCHATZ and J. GERKEN, 573–578 (Aug).
Iron Powder Electrodes, Shielded Metal-Arc Welding Underwater with—E. A. SILVA and T. H. HAZLETT, 406–415 (June).

LAMPF Accelerator Structures, Hydrogen Brazing Furnace of—H. G. WORSTELL, 161–167 (Mar).
Laser Drilling Applications, Laser Welding and—A. J. MOORHEAD, 97–106 (Feb).
Laser Welding and Drilling Applications—A. J. MOORHEAD, 97–106 (Feb).

Metal Powders, Their Role in Brazing—R. A. MACDONALD, 327–331 (May).
Metals Joining Techniques in the Electronic Tube Industry—H. K. GLASER, 107–111 (Feb).

New High-Efficiency Welding Procedure Using Finely Divided Filler Metal—R. J. DEHAECK, 689–700 (Oct).

Parameter Study of Electron-Beam Welding—P. J. KONKOL, P. M. SMITH, C. F. WILLEBRAND and L. P. CONNOR, 765–776 (Nov).

Porosity Formation in Aluminum Weldments—D. G. Howden, 112–114 (Feb).
Powders and Powder Metallurgy as a Tool for Brazing—C. V. Foerster, 248–253 (Apr).
Power Supplies, Half-Wave and Full-Wave Resistance Welding—R. H. Blair and R. C. Blakeslee, 174–176 (Mar).
Primary Concepts for Flame Bending—R. E. Holt, 416–424 (June).

Radioisotope Storage Capsules, Successful Welding of—J. C. Wormeli, 849 (Dec).
Refractory, Superalloy and Composite Materials for Space Shuttle Applications, Brazing of—C. S. Beuyukian, 491–501 (July).
Repair Technique for Aero Engine Components, Vacuum Brazing as a—C. J. Baker, 559–566 (Aug).
Repair Welding Aluminum Bronze Forming Dies, Fabricating and—F. E. Garriott and B. A. Kalvelage, 502–508 (July).
Resistance Welding Power Supplies, Half-Wave and Full-Wave—R. H. Blair and R. C. Blakeslee, 174–176 (Mar).

Shielded Metal-Arc Welding Underwater with Iron Powder Electrodes—E. A. Silva and T. H. Hazlett, 406–415 (June).
Space Shuttle Applications, Brazing of Refractory, Superalloy and Composite Materials for—C. S. Beuyukian, 491–501 (July).
Spacial Seam Tracing, Automated Welding Using—J. G. Bollinger and H. L. Harrison, 787 (Nov).
Strength of Welded Joints in Aluminum Alloy 6061-T6 Tubular Members—R. L. Moore, J. R. Jombock and R. A. Kelsey, 238–247 (Apr).
Successful Welding of Radioisotope Storage Capsules—J. C. Wormeli, 849 (Dec).
Superalloy and Composite Materials for Space Shuttle Applications, Brazing of Refractory—C. S. Beuyukian, 491–501 (July).
Superheater Fuel Element, Brazing the Shell Assembly for the BONUS—G. M. Tolson, L. C. Tolson, L. C. Williams, E. A. Franco-Ferreira and E. C. Kirstowski, 641–646 (Sept).

Tool for Brazing, Powders and Powder Metallurgy as a—C. V. Foerster, 248–253 (Apr).
Transition Pieces, Bonding Graphite to Metals with—J. P. Hammond and G. M. Slaughter, 33–40 (Jan).
Turbine Blades, Induction Brazing of—H. L. Novak, G. Schatz and J. Gerken, 573–578 (Aug).
Turbine Grade Steel, Electron Beam Welding of Thick Sections of—L. J. Privoznik, R. S. Smith and J. S. Heverly, 567–572 (Aug).
Tubular Members, Strength of Welded Joints in Aluminum Alloy 6061-T6—R. L. Moore, J. R. Jombock and R. A. Kelsey, 238–247 (Apr).

Understanding the Mechanisms of Aluminum Brazing—J. R. Terrill, C. N. Cochran, J. J. Stokes and W. E. Haupin, 833–839 (Dec).
Ultrasonic Bonds Between Metals, Formation of—K. C. Joshi, 840–848 (Dec).
Ultrasonic Testing Requirements of the AWS 1969 Building Code and Bridge Specifications—G. W. Shenefelt, 342–351 (May).

Vacuum Brazing as a Repair Technique for Aero Engine Components—C. J. Baker, 559–566 (Aug).
Vacuum Fluxless Brazing of Aluminum—E. R. Byrnes, Jr., 712–719 (Oct).

Water Arc Cutting, High Quality—R. W. Couch, Jr. and D. C. Dean, Jr., 233–237 (Apr).
Welding and Drilling Applications, Laser—A. J. Moorhead, 97–106 (Feb).
Welding Machine Design, Human Factors Engineering in—J. D. Eyestone, 168–173 (Mar).
Welding of Aluminum, Direct Current, Straight Polarity Gas Tungsten-Arc—D. D. Rager, 332–341 (May).
Welding our Environment—Nicholas Kay, 15–22 (Jan).
Welding Underwater with Iron Powder Electrodes, Shielded Metal-Arc—E. A. Silva and T. H. Hazlett, 406–415 (June).

AUTHOR INDEX

Baker, C. J.—The Application of Vacuum Brazing as a Repair Technique for Aero Engine Components, 559 to 566 (Aug).
Beuyukian, C. S.—Brazing of Refractory, Superalloy and Composite Materials for Space Shuttle Applications, 491 to 501 (July).
Blair, R. H.—Half-Wave and Full-Wave Resistance Welding Power Supplies, 174 to 176 (Mar).
Bollinger, J. G.—Automated Welding Using Spacial Seam Tracing, 787 (Nov).
Byrnes, Jr. E. R.—Vacuum Fluxless Brazing of Aluminum, 712 to 719 (Oct).

Couch, R. W.—High Quality Water Arc Cutting, 233 to 237 (Apr).

DeHaeck, R. J.—A New High-Efficiency Welding Procedure, Using Finely Divided Filler Metal, 689 to 700 (Oct).

Ebert, H. W.—Hard Welds—Their Causes and Prevention, 636 to 640 (Sept).
Eyestone, J. D.—Human Factors Engineering in Welding Machine Design, 168 to 173 (Mar).

Foerster, C. V.—Powders and Powder Metallurgy as a Tool for Brazing, 248 to 253 (Apr).

Garriott, F. E.—Fabricating and Repair Welding Aluminum Bronze Forming Dies, 502 to 508 (July).
Glaser, J. K.—Metals Joining Techniques in the Electronic Tube Industry, 107 to 111 (Feb).

Hammond, J. P.—Bonding Graphite to Metals with Transition Pieces, 33 to 40 (Jan).
Holt, R. E.—Primary Concepts for Flame Bending, 416 to 424 (June).
Howden, D. G.—An Up-to-Date Look at Porosity Formation in Aluminum Weldments, 112 to 114 (Feb).

Johnson, W. R.—Explosive Welding Plugs into Heat Exchange Tubes, 23 to 32 (Jan).
Joshi, K. C.—The Formation of Ultrasonic Bonds Between Metals, 840 to 848 (Dec).

Kay, N.—Welding Our Environment, 15 to 22 (Jan).
Konkol, P. J.—Parameter Study of Electron-Beam Welding, 765 to 776 (Nov).

Mac Donald, R. A.—Metal Powders—Their Role in Brazing, 327 to 331 (May).
Moore, R. L.—Strength of Welded Joints in Aluminum Alloy 6061-T6 Tubular Members, 238 to 247 (Apr).
Moorhead, A. J.—Laser Welding and Drilling Applications, 97 to 106 (Feb).

Novak, H. L.—Induction Brazing of Turbine Blades—Including Coil Design, 573 to 578 (Aug).

Privoznik, L. J.—Electron Beam Welding of Thick Sections of 12% Cr Turbine Grade Steel, 567 to 572 (Aug).

Rager, D. D.—Direct Current, Straight Polarity Gas Tungsten-Arc Welding of Aluminum, 332 to 341 (May).

Shenefelt, G. W.—Ultrasonic Testing Requirements of the AWS 1969 Building Code and Bridge Specifications, 342 to 351 (May).
Silva, E. A.—Shielded Metal-Arc Welding Underwater with Iron Powder Electrodes, 406 to 415 (June).

Tennenhouse, C. C.—Control of Distortion During the Furnace Cycle, 701 to 711 (Oct).

XUM

TERRILL, J. R.—Understanding the Mechanisms of Aluminum Brazing 833 to 839 (Dec).
TOLSON, G. M.—Brazing the Shell Assembly for the BONUS Superheater Fuel Element, 641 to 646 (Sept).
TSENG, C. F.—The Effect of Arc Oscillation, 777 to 786 (Nov).

WIEDENHEFT, D.—Designing and Welding Fork Truck Lift Assemblies, 483 to 490 (July).
WILDENTHALER, L.—A Progress Report on Fume Extracting System for Gas Metal-Arc Welding Unit, 623 to 635 (Sept).
WORMELI, J. C.—Successful Welding of Radioisotope Storage Capsules, 849 (Dec).
WORSTELL, H. G.—Hydrogen Brazing Furnace of LAMPF Accelerator Structures, 161 to 167 (Mar).

YOUNG, E. S.—Close-Tolerance Flame Cutting, 397 to 405 (June)

WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Aircraft Gas Turbine Engine Application, Brazing Filler Metal Evaluation for an—R. P. SCHAEFER, J. E. FLYNN and J. R. DOYLE, 394-s to 400-s (Sept).
Aluminum Alloy 7039, Effect of Heat Input on Welds in—R. A. KELSEY, 507-s to 514-s (Dec).
Aluminum Alloy Welded Joints, Fatigue of—N. L. PERSON, 77-s to 86-s (Feb).
Aluminum Alloys, Effect of Discontinuities on Weld Strength of—F. G. NELSON and M. HOLT, 427-s to 434-s (Oct).
Anisotrophy and Weldability—J. HEUSCHKEL, 110-s to 126-s (Mar).
Anode Composition on Tungsten Arc Characteristics, Effect of—T. F. CHASE and W. F. SAVAGE, 467-s to 473-s (Nov).
Automotive Solders, Spreadability of—H. W. KERR, 441-s to 444-s (Oct).

Basic Properties of Thin-Film Diffusion Brazed Joints in Ti-6Al-4V—A. H. FREEDMAN, 343-s to 356-2 (Aug).
Beam-to-Column Connections, Shear in Steel—D. J. FIELDING and J. S. HUANG, 313-s to 326-s (July).
Bend Ductility of Columbiam Alloys WC3015 and Cb752—A. A. TAVASSOLI, 451-s to 453-s (Oct).
Boron/Aluminum Sheet Quality and Resistance Weld Quality and Strength, Correlation Between—M. S. HERSH, 515-s to 521-s (Dec).
Brazed Joints, New Method for Evaluating Strength and Ductility of—E. KLAUSNITZER, 454-s to 460-s (Oct).
Brazed Joints, Strength Determination of—M. D. WALSH, W. BRYZIK, M. C. YOUNG and C. O. SMITH, 39-s to 41-s (Jan).
Brazing Filler Metal Evaluation for an Aircraft Gas Turbine Engine Application—R. P. SCHAEFER, J. E. FLYNN and J. R. DOYLE, 394-s to 400-s (Sept).
Brazing Filler Metals for Zircaloy—R. E. BEAL and Z. P. SAPERSTEIN, 275-s to 291-s (July).

Ceramic-to-Metal Seals, Heat-Resistant—J. T. Klomp, 88-s to 90-s (Feb).
Columbiam Alloys WC3015 and Cb752, Bend Ductility of—A. A. TAVASSOLI, 451-s to 453-s (Oct).
Commercial Titanium Alloys, Plates of, Strength Toughness Properties of Welds in—L. E. STARK, 58-s to 70-s (Feb).
Computer Differentiation of Mössbauer Spectra—O. W. ALBRITTON and J. M. LEWIS, 327-s to 330-s (July).
Constructional Steels, Weldability of, USA Viewpoint—W. D. DOTY, 49-s to 57-s (Feb).
Controlled Penetration, Multipass Electron Beam Welding for—E. H. BRADBURN, R. A. HUBER and P. W. TURNER, 190-s to 193-s (Apr).
Correlation Between Boron/Aluminum Sheet Quality and Resistance Weld Quality and Strength—M. S. HERSH, 515-s to 521-s (Dec).
Cracking in Welded Steam Pipe—J. A. ISASI, R. C. BATES and J. HEUSCHKEL, 493-s to 506-s (Dec).

Defects in 2021 Aluminum Alloy Welds—T. M. MORTON, 304-s to 312-s (July).
Development and Evaluation of a Modulated Power Control for Fusion Welding—F. REINKS and R. C. ASHAUER, 222-s to 230-s (May).
Development of Brazed Austenitic/Ferritic Steel Steam Pipe Joints for Turbines—H. R. HEAP and C. C. RILEY, 253-s to 260-s (June).
Diffusion Brazed Joints in Ti-6Al-4V, Basic Properties of Thin-Film—A. H. FREEDMAN, 343-s to 356-s (Aug).
Dissimilar Liquid Weld Metal, Heat-Affected Zone Infiltration by—S. J. MATTHEWS and W. F. SAVAGE, 174-s to 182-s (Apr).
Ductility of Welds, Stress Rupture—N. KENYON, 261-s to 266-s (June).
Dye Penetrant Indications Caused by Superficial Surface Defects in 2014 Aluminum Alloy Welds—R. G. HOCKER and K. R. WILSON, 485-s (Nov).

Eastern Europe Welding Research News—30-s
Effect of Anode Composition on Tungsten Arc Characteristics—T. F. CHASE, JR. and W. F. SAVAGE, 467-s to 473-s (Nov).
Effect of Discontinutities on Weld Strength of Aluminum Alloys—F. G. Nelson and M. Holt, 427-s to 434-s (Oct).
Effect of Heat Input on Welds in Aluminum Alloy 7039—R. A. Kelsey, 507-s to 514-s (Dec).
Effect of Phasé Control During Flashing on Flash Weld Defects—J. F. Sullivan and W. F. Savage, 213-s to 221-s (May).
Effect of Pulsed Gas Metal-Arc Welding Parameters on Weld Cooling Rates—B. M. KRANTZ and V. D. COPPOLECCHIA, 474-s to 479-s (Nov).
Effect of Temperature and Stress on Tin-Rich Solder Alloys—L. ZAKRAYSEK, 522-s to 528-s (Dec).
Exploding Droplets in Pulsed-Arc GMA Welding, Observations of—M. B. C. QUIGLEY and J. M. WEBSTER, 461-s to 466-s (Nov).

Factors Affecting the Strength of Multipass Low-Alloy Steel Weld Metal—B. M. KRANTZ, 235-s to 241-s (June).
Factors Influencing Strain-Age Cracking in Inconel X-750—A. W. Dix and W. F. SAVAGE, 247 s to 252-s (June).
Fatigue of Aluminum Alloy Welded Joints—N. L. PERSON, 77-s to 86-s (Feb).
Fatigue Crack Propagation in Zircaloy-2 Weld Metal—D. A. FERRILL, 206-s (May).
Fatigue Properties of a Welded Low Alloy Steel—M. R. BAREN and R. P. HURTLEBAUS, 207-s to 212-s (May).
Ferritic Stainless Steel, Weldability of a New—K. C. DORSCHU, 410-s to 418-s (Sept).
Flashing on Flash Weld Defects, Effect of Phase Control During—J. F. SULLIVAN and W. F. SAVAGE, 213-s to 221-s (May).
Flash Weld Defects, Effect of Phase Control During Flashing on—J. F. SULLIVAN and W. F. SAVAGE, 213-s to 221-s (May).
Forge Phase of Friction Welding—T. RICH and R. ROBERTS, 137-s to 145-s (Mar).
Fracture Safe Design, Principles of, Part I—W. S. PELLINI, 91-s to 109-s (Mar).

Fracture Safe Design, Principles of, Part II—W. S. PELLINI, 147-s to 162-s (Apr).
Friction Welding Forge Phase of—T. RICH and R. ROBERTS, 137-s to 145-s (Mar).
Friction Welding of Titanium Alloys—C. G. NESSLER, D. A. RUTZ, R. D. ENG and P. A. VOSSELLA, 379-s to 385-s (Sept).
Fusion Welding, Development and Evaluation of a Modulated Power Control for—F. REINKS and R. C. ASHAUER, 222-s to 230-s (May).

Hastelloy N Welded After Irradiation, Tensile Properties of—H. E. MCCOY, R. W. GUNKEL and G. M. SLAUGHTER, 71-s to 76-s (Feb).
Hastelloy X Welds, Microsegregation in Autogenous—W. F. SAVAGE and B. M. KRANTZ, 292-s to 303-s (July).
Heat-Affected Zone Infiltration by Dissimilar Liquid Weld Metal—S. J.MATTHEWS and W. F. SAVAGE, 174-s to 182-s (Apr).
Heat-Affected Zones, Re-Heat Cracking in High Alloy—D. MC KEOWN, 201-s to 205-s (May).
Heat-Resistant Ceramic-to-Metal Seals—J. T. KLOMP, 88-s to 90-s (Feb).
High Chromium Ferritic Stainless Steel as a Function of Purity, Mechanical Behavior and Weldability of a—R. N. WRIGHT, 434-s to 440-s (Oct).
Heat Treatments for Improving the Weldability and Formability of Udimet 700—D. S. DUVALL and W. A. OWCZARSKI, 401-s to 409-s (Sept).
High Nickel Alloy Heat-Affected Zones, Re-Heat Cracking in—D. MCKEOWN, 201-s to 205-s (May).
High Strength Steels, Micro Hot Tearing in the Heat-Affected Zone—A. G. Vinckier, 19-s to 24-s (Jan).

Improved Brazing Methods for Tungsten Carbide Tool Bits—R. G. GILLILAND and C. M. ADAMS, JR., 267-s to 274-s (July).
Inconel X-750, Factors Influencing Strain-Age Cracking in—A. W. DIX and W. F. SAVAGF, 247-s to 252-s (June).

Joining Sintered Steel to Wrought Steel Using Various Welding Processes—J. F. HINRICHS, P. W. RAMSEY and M. W. ZIMMERMANN, 242-s to 246-s (June).

Low-Alloy Steel Weld Metal, Factors Affecting the Strength of Multipass—B. M. KRANTZ, 235-s to 241-s (June).
Low Alloy Steel Welds Containing Up to 6% Nickel, Sulfur and Phosphorus in—N. KENYON and L. EPSTEIN, 46-s to 48-s (Jan).

Measurement of Residual Stresses—A. G. CEPOLINA and D. A. CANONICO, 31-s to 38-s (Jan).
Mechanical Behavior and Weldability of a High Chromium Ferritic Stainless Steel as a Function of Purity—R. N. WRIGHT, 434-s to 440-s (Oct).
Mechanical Properties of 17% Chromium Steel Weldment, Weld Cracking—T. NISHIO, T. OHMAE, T. YOSHIDA and Y. MUIRA, 9-s to 18-s (Jan).
Mechanical Properties of Welds in Zinc Coated Steel—E. N. GREGORY, 445-s to 450-s (Oct).
Mechanism of Stress Relief Cracking in 2¼ Cr-1Mo Steel—R. A. SWIFT, 195-s to 200-s (May).
Micro Hot Tearing in the Heat-Affected Zone of High Strength Steels—A. G. Vinckier, 19-s to 25-s (Jan).
Microsegregation in Autogenous Hastelloy X Welds—W. F. SAVAGE and B. M. KRANTZ, 292-s to 303-s (July).
Modulated Power Control for Fusion Welding, Development and Evaluation of a—F. REINKS and R. C. ASHAUER, 222-s to 230-s (May).
Motion in the Weld Pool in Arc Welding—R. A. WOODS and D. R. MILNER, 163-s to 173-s (Apr).
Multipass Electron Beam Welding for Controlled Penetration—E. H. BRADBURN, R. A. HUBER and P. W. TURNER, 190-s to 193-s (April).
Multi-Run Welds, One-Run Versus—W. SOETE, 127-s to 136-s (Mar).

New Method for Evaluating Strength and Ductility of Brazed Joints—E. KLAUSNITZER, 454-s to 460-s (Oct).
Nickel-Base Brazing Filler Metals on Stainless Steel, Spreading and Aggressive Effects by—A. AMATO, F. BAUDROCCO and M. RAVIZZA, 183-s to 189-s (Apr).
99.9999 Percent Pure Aluminum, Welding—D. L. CHEEVER, D. G. HOWDEN and R. E. GOLD, 25-s to 29-s (Jan).
Nondestructive Examination of PVRC Plate-Weld Specimen 201, a PVRC Subcommittee Report—529-s (Dec).

Observations of Exploding Droplets in Pulsed-Arc GMA Welding—M. B. C. QUIGLEY and J. M. WEBSTER, 461-s to 466-s (Nov)
One-Run Versus Multi-Run Welds—W. SOETE, 126-s to 136-s (Mar).

Plates of Commercial Titanium Alloys, Strength Toughness Properties of Welds in—L. E. STARK, 58-s to 70-s (Feb).
Pressure Vessel Steels, Stress Relief Cracking in—A. W. PENSE, E. J. GALDA and G. T. POWELL, 374-s to 378-s (Aug).
Principles of Fracture Safe Design, Part I—W. S. PELLINI, 91-s to 109-s (Mar).
Principles of Fracture Safe Design, Part II—W. S. PELLINI, 147-s to 162-s (Apr).
Pulsed-Arc GMA Welding, Observations of Exploding Droplets in—M. B. C. QUIGLEY and J. M. WEBSTER, 461-s to 466-s (Nov).
Pulsed Gas Metal-Arc Welding, Effects of Parameters on Weld Cooling Rates—B. M. KRANTZ and V. D. COPPOLECCHIA, 474-s to 479-s (Nov).
PVRC Plate-Weld Specimen 201, Nondestructive Examination of, a PVRC Subcommittee Report, 529-s (Dec).

Reduced Heat-Affected Zone Cracking and Improved Base Metal Impacts Through Sulfide Control with Rare Earth Additions—W. C. WILSON, 42-s to 45-s (Jan).
Refractory Metals, Variestraint Test for—G. G. LESSMANN and R. E GOLD, 1-s to 8-s (Jan).
Re-Heat Cracking in High Nickel Alloy Heat-Affected Zones—D. McKeown, 201-s to 205-s (May).
Residual Stresses, The Measurement of—A. G. CEPOLINA and D. A. CANONICO, 31-s to 38-s (Jan).
Resistance NOR-Ti-BOND Joining of Titanium Shapes—K. C. WU, 386-s to 393-s (Sept).
Resistance Weld Quality and Strength, Correlation Between Boron/Aluminum Sheet Quality and—M. S. HERSH, 515-s to 521-s (Dec).
17% Chromium Steel Weldment, Weld Cracking and Mechanical Properties of—T. NISHIO, T. OHMAE, T. YOSHIDA and Y. MUIRA, 9-s to 18-s (Jan).

Shear in Steel Beam-to-Column Connections—D. J. FIELDING and J. S. HUANG, 313-s to 326-s (July).
Some Problems in Welding Inconel 718—J. GORDINE, 480-s to 484-s (Nov).
Spreadability of Automotive Solders—H. W. KERR, 441-s to 444-s (Oct).
Spreading and Aggressive Effects by Nickel-Base Brazing Filler Metals on Stainless Steel—A. AMATO, F. BAUDROCCO and M. RAVIZZA, 183-s to 189-s (Apr).
Steam Pipe Joints for Turbines, Development of Brazed Austenitic/Ferritic Steel—H. R. HEAP and C. C. RILEY, 253-s to 260-s (June).
Strain-Age Cracking in Inconel X-750, Factors Influencing—A. W. DIX and W. F. SAVAGE, 247-s to 252-s (June).
Strength Determination of Brazed Joints—M. D. WALSH, W. BRYZIK, M. C. YOUNG and C. O. SMITH, 39-s to 41-s (Jan).
Strength of Fillet Welds as a Function of Direction of Load—L. J. BUTLER and G. L. KULAK, 331-s ro 234-s (May).
Strength Toughness Properties of Welds in Plates of Commercial Titanium Alloys—L. E. Stark, 58-s to 70-s (Feb).
Stress Relief Cracking in Pressure Vessel Steels—A. W. PENSE, E. J. GALDA and G. T. POWELL, 374-s to 378-s (Aug).
Stress Relief Cracking in 2¼ Cr-1Mo Steel, Mechanism of—R. A. SWIFT, 195-s to 200-s (May).
Stress Rupture Ductility of Welds—N. Kenyon, 261-s to 266-s (June).
Sulfide Control with Rare Earth Additions, Reduced Heat-Affected Zone Cracking and Improved Base Metal Impacts through—W. G. WILSON, 42-s to 45-s (Jan).
Sulfur and Phosphorus in Low Alloy Steel Welds Containing Up to 6% Nickel—N. KENYON and L. EPSTEIN, 46-s to 48-s (Jan).
Superficial Surface Defects in 2014 Aluminum Alloy Welds, Dye Penetrant Indications Caused by—R. G. HOCKER and K. R. WILSON, 485-s (Nov).

Tensile Properties of Hastelloy N Welded after Irradiation—H. E. MCCOY, R. W. GUNKEL and G. M. SLAUGHTER, 71-s to 76-s (Feb).
Tin-Rich Solder Alloys, Effect of Temperature and Stress on—L. ZAKRAYSEK, 522-s to 528-s (Dec).
Titanium Alloys, Friction Welding of—C. G. NESSLER, R. D. ENG and P. A. VOZZELLA, 379-s to 385-s (Sept.)
Titanium Shapes, Resistance NOR-Ti-BOND Joining of—K. C. Wu, 386-s to 393-s (Sept).
Tool Bits, Improved Brazing Methods for Tungsten Carbide—R. G. GILLILAND and C. M. ADAMS, JR., 267-s to 274-s (July).
Tungsten and Its Alloys, Weldability of—N. C. COLE, R. G. GILLILAND and G. M. SLAUGHTER, 419-s to 426-s (Sept).
Tungsten Arc Characteristics, Effect of Anode Composition on—T. F. Chase and W. F. SAVAGE, 467-s to 473-s (Nov).
Tungsten Carbide Tool Bits, Improved Brazing Methods for—R. G. GILLILAND and C. M. ADAMS, JR., 267-s to 274-s (July).

XUM

2¼ Cr-1Mo Steel, Mechanism of Stress Relief Cracking in—R. A. SWIFT, 195-s to 200-s (May).
2021 Aluminum Alloy Welds, Defects in—T. M. MORTON, 304-s to 312-s (July).

U.S.S.R. Welding Research News—87-s.

Varestraint Test for Refractory Metals—G. G. LESSMANN and R. E. GOLD, 1-s to 8-s (Jan).

Weldability and Formability of Udimet 700, Heat Treatments for Improving the —D. S. DUVAL and W. A. OWCZARSKI, 401-s to 409-s (Sept.)
Weldability of Constructional Steels, USA Viewpoint—W. D. DOTY, 49-s to 57-s (Feb).
Weldability of a New Ferritic Stainless Steel—K. C. DORSCHU, 410-s to 418-s (Sept).
Weldability of Tungsten and Its Alloys—N. C. COLE, R. G. GILLILAND and G. M. SLAUGHTER, 419-s to 426-s (Sept).
Weld Cooling Rates, Effects of Pulsed Gas Metal-Arc Welding Parameters on—B. M. KRANTZ and V. D. COPPOLECCHIA, 474-s to 479-s (Nov).
Weld Cracking and Mechanical Properties of 17% Chromium Steel Weldment—T. NISHIO, T. OHMAE, T. YOSHIDA and Y. MUIRA, 9-s to 18-s (Jan).
Weld Metal Embrittlement—R. A. SWIFT and H. C. ROGERS, 357-s to 373-s (Aug).
Weld Strength of Aluminum Alloys, Effect of Discontinuities on—F. G. NELSON and M. HOLT, 427-s to 434-s (Oct).
Welded Low Alloy Steel, Fatigue Properties of a—M. R. BAREN and R. P. HURTLEBAUS, 207-s to 212-s (May).
Welded Steam Pipe, Cracking in—J. A. ISASI, R. C. BATES and J. HEUSCHKEL, 493-s to 506-s (Dec).
Welding Inconel 718, Some Problems in—J. GORDINE, 480-s to 484-s (Nov).
Welding 99.9999 Percent Pure Aluminum—D. L. CHEEVER, D. G. HOWDEN and R. E. GOLD, 25-s to 29-s (Jan).
Welding Parameters, Thick Plates and Column Strength—J. BROZZETTI, G. A. ALPSTEN and L. TALL, 331-s to 342-s (Aug).
Welds in Zinc Coated Steel, Mechanical Properties of—E. N. GREGORY, 445-s to 450-s (Oct).

Zinc Coated Steel, Mechanical Properties of Welds in—E. N. GREGORY, 445-s to 450-s (Oct).
Zircaloy, Brazing Filler Metals for—R. E. BEAL and Z. P. SAPERSTEIN, 275-s to 291-s (July).
Zircaloy-2 Weld Metal, Fatigue Crack Propagation in—D. A. FERRILL, 206-s (May).

AUTHOR INDEX

ALBRITTON, O. W.—Computer Differentiation of Mössbauer Spectra, 327-s to 330-s, (July).
AMATO, A.—Spreading and Aggressive Effects By Nickel-Base Brazing Filler Metals on Stainless Steel, 183-s to 189-s (Apr).

BAREN, M. R.—The Fatigue Properties of a Welded Low Alloy Steel, 207-s to 212-s (May).
BEAL, R. E.—Development of Brazing Filler Metals for Zircaloy, 275-s to 291-s (July).
BRADBURN, E.H.—Multipass Electron Beam Welding For Controlled Penetration, 190-s to 193-s (Apr).
BROZZETTI, J.—Welding Parameters, Thick Plates and Column Strength, 331-s to 342-s (Aug).
BUTLER, L. J.—Strength of Fillet Welds as a Function of Direction of Load, 231-s to 234-s (May).

CEPOLINA, A. G.—The Measurement of Residual Stresses 31-s to 38-s (Jan).
CHASE, T. F.—Effect of Anode Composition on Tungsten Arc Characteristics, 467-s to 473-s (Nov).
CHEEVER, D. L.—Welding 99.9999 Percent Pure Aluminum, 25-s to 29-s (Jan).
COLE, N. C.—Weldability of Tungsten and Its Alloys, 419-s to 426-s, (Sept).

DIX, A. W.—Factors Influencing Strain-Age Cracking in Inconel X-750, 247-s to 252-s (June).
DORSCHU, K. C.—Weldability of a New Ferritic Stainless Steel, 410-s to 418-s (Sept).
DOTY, W. D.—Weldability of Constructional Steels—USA Viewpoint, 49-s to 57-s (Feb).
DUVALL, D. A.—Heat Treatments for Improving the Weldability and Formability of Udimet 700, 401-s to 409-s (Sept).

Eastern Europe Welding Research News 30-s (Jan).

FERRILL, D. A.—Technical Note: Fatigue Crack Propagation in Zircaloy-2 Weld Metal, 206-s (May).
FIELDING, D. J.—Shear in Steel Beam-to-Column Connections, 313-s to 326-s (July).
FREEDMAN, A. H.—Basic Properties of Thin-Film Diffusion Brazed Joints in Ti-6AL-4V, 343-s to 356-s (Aug).

GILLILAND, R. G.—Improved Brazing Methods for Tungsten Carbide Tool Bits, 267-s to 274-s (July).
GORDINE, J.—Some Problems in Welding Inconel 718, 480-s to 484-s (Nov).
GREGORY, E. N.—The Mechanical Properties of Welds in Zinc Coated Steel, 445-s to 450-s (Oct.)

HEAP, H. R.—Development of Brazed Austenitic/Ferritic Steel Steam Pipe Joints for Turbines, 253-s to 260-s (June).
HERSH, M. S.—Correlation Between Boron/Aluminum Sheet Quality and Resistance Weld Quality and Strength, 515-s to 521-s (Dec).
HEUSCHKEL, J.—Anisotropy and Weldability, 110-s to 126-s (Mar).
HINRICHS, J. F.—Joining Sintered Steel to Wrought Steel Using Various Welding Processes, 242-s to 246-s (June).
HOCKER, R. G.—Dye Penetrant Indications Caused by Superficial Surface Defects in 2014 Aluminum Alloy Welds, 485-s (Nov.)

ISASI, J. A.—Cracking in Welded Steam Pipe, 493-s to 506-s, (Dec).

KELSEY, R. A.—Effect of Heat Input on Welds in Aluminum Alloy 7039, 507-s to 514-s (Dec.)
KENYON, N.—Technical Note: Sulfur and Phosphorus in Low Alloy Steel Welds Containing Up to 6% Nickel, 46-s (Jan).
KENYON, N.—Some Observations on the Stress Rupture Ductility of Welds, 261-s (June).
KERR, H. W.—The Spreadability of Automotive Solders, 441-s to 444-s (Oct).
KLAUSNITZER, E.—New Method for Evaluating Strength and Ductility of Brazed Joints, 454-s (Oct).
KLOMP, J. T.—Heat-Resistant Ceramic-to-Metal Seals, 88-s (Feb).
KRANTZ, B. M.—Factors Affecting the Strength of Multipass Low-Alloy Steel Weld Metal, 235-s to 241-s (June).
KRANTZ, B. M.—The Effects of Pulsed Gas Metal-Arc Welding Parameters on Weld Cooling Rates, 474-s to 479-s, (Nov).

LESSMANN, G. G.—The Varestraint Test for Refractory Metals, 1-s to 8-s (Jan).

MCCOY, H. E.—Tensile Properties of Hastelloy N Welded After Irradiation, 71-s to 76-s (Feb).
MCKEOWN, D.—Re-Heat Cracking in High Nickel Alloy Heat-Affected Zones, 201-s to 205-s (May).
MATTHEWS, S. J.—Heat-Affected Zone Infiltration By Dissimilar Liquid Weld Metal 174-s to 182-s (Apr).
MORTON, T. M.—Defects in 2021 Aluminum Alloy Welds, 304-s to 312-s (July).

NELSON, F. G.—Effect of Discontinuities on Weld Strength of Aluminum Alloys, 427-s to 433-s (Oct).
NESSLER, C. G.—Friction Welding of Titanium Alloys, 379-s to 385-s (Sept).
NISHIO, T.—Weld Cracking and Mechanical Properties of 17% Chromium Steel Weldment, 9-s to 18-s (Jan).

PELLINI, W. S.—Principles of Fracture Safe Design—Part I, 91-s to 109-s (Mar).
PELLINI, W. S.—Principles of Fracture Safe Design—Part II, 147-s to 162-s (Apr).
PENSE, S. W.—Stress Relief Cracking in Pressure Vessel Steels, 374-s (Aug).
PERSON, N. L.—Fatigue of Aluminum Alloy Welded Joints, 77-s to 86-s (Feb).
PVRC SUBCOMMITTEE REPORT—Non-destructive Examination of PVRC Plate-Weld Specimen 201, 529-s (Dec).

QUIGLEY, M. B. C.—Observations of Exploding Droplets in Pulsed-Arc GMA Welding, 461-s to 466-s (Nov).

REINKS, F.—Development and Evaluation of a Modulated Power Control for Fusion Welding, 222-s to 230-s (May).
RICH, T.—The Forge Phase of Friction Welding, 137-s (Mar).

SAVAGE, W. F.—Microsegregation in Autogenous Hastelloy X Welds, 292-s to 303-s (July).
SCHAEFER, R. P.—Brazing Filler Metal Evaluation for an Aircraft Gas Turbine Engine Application, 394-s to 400-s (Sept).
SOETE, W.—One-Run Versus Multi-Run Welds, 127-s to 136-s (Mar).
STARK, L. E.—The Strength Toughness Properties of Welds in Plates of Commercial Titanium Alloys, 58-s to 70-s (Feb).
SULLIVAN, J. F.—Effect of Phase Control During Flashing on Flash Weld Defects, 213-s to 221-s (May).
SWIFT, R. A.—The Mechanism of Stress Relief Cracking in 2¼ Cr-Mo Steel, 195-s to 200-s (May).
SWIFT, R. A.—A Critical Review of Weld Metal Embrittlement, 357-s to 373-s (Aug).

TAVASSOLI, A. A.—Bend Ductility of Columbium Alloys WC3015 and Cb 752, 451-s to 453-s (Oct).

U.S.S.R. Welding Research News 87-s (Feb).

VINCKIER, A. G.—Micro Hot Tearing in the Heat-Affected Zone of High Strength Steels, 19-s to 24-s (Jan).

WALSH, M. D.—Strength Determination of Brazed Joints, 39-s to 41-s (Jan).
WILSON, W. G.—Technical Note: Reduced Heat-Affected Zone Cracking and Improved Base Metal Impacts Through Sulfide Control with Rare Earth Additions, 42-s to 45-s (Jan).
WOODS, R. A.—Motion in the Weld Pool in Arc Welding, 163-s to 173-s (Apr).
WRIGHT, R. N.—Mechanical Behavior and Weldability of a High Chromium Ferritic Stainless Steel as a Function of Purity, 434-s to 440-s (Oct).
WU, K. C.—Resistance NOR-Ti-BOND Joining of Titanium Shapes, 386-s to 393-s (Sept).

ZAKRAYSEK, L.—The Effect of Temperature and Stress on Tin-Rich Solder Alloys, 522-s to 528-s (Dec).

XUM